

# Product Information

Interior | 2018



*with detailed care instructions*



## ***Dear customer***

**Would you like to paint, beautify or maintain your wood?  
The coating should dry fast, be easily applied and last for a long  
time? Then SAICOS always has the right product for you.**

When developing our products we have taken all your wishes and processing aids into account so that you can treat your wood as simple as possible.

Questions like 'What kind of coating do I need for my project?' and 'How many cans in what kind of size do I need?' we always answer correctly in our consumption calculator.

Via a QR-Code directly on the product itself or at the shelf in a specialist shop you can either click on the technical data sheet or a brand new video with step-by-step explanations. The QR-codes functions are: helping with the actual buying decision at the shelf, watching the product video at home or as a virtual instruction manual on your 'building site'.

For the new year we've taken all your wishes into account and expand our coating product range.

Curious? Discover more on the following pages.

Thank you very much for your trust.

***Your SAICOS team***

<b>Introduction</b>	page	2
SAICOS QR-Code	page	5
SAICOS consumption calculator	page	6

## ***Floor coatings***

Premium Hardwax-Oil	page	8
Premium Hardwax-Oil Additives	page	9
Ecoline Hardwax-Oil, Ecoline Hardwax-Oil „Nature“	page	11
Ecoline Oil Ground Coat	page	12
Ecoline MultiTop <sup>plus</sup> lacquer system	page	13
Ecoline Future 2K Premium Sport	page	15
Ecoline Future Universal Ground Coat,		
Ecoline Ground Coat 'Speed'	page	16
Ecoline Crack-Filler	page	17
Wood Impregnation biocide-free	page	18
Ground Oil Extra Thin	page	19
2K PU Elastic	page	21
2K PU system additives		
(Hardener 2K, Anti-Slip R10, Delayer)	page	22
Basic Cleaner Concentrate	page	23

**NEW**

**NEW**

**NEW**

## ***Interior wood coatings***

Color Wax	page	24
UV Protective Wood Finish Interior, Clear Wax	page	25

<b>Tools</b>	page	26
--------------	------	----

## ***Cleaning, care & accessories***

Telescope-Maintenance Cloth,		
Ecoline Maintenance-Set, Polishing Pads	page	29
Furniture Oil	page	30
Wax Care, Ecoline Wax Care	page	31
Ecoline Floor Care Set,		
Ecoline Floor Clean & Care Set	page	32
Wash Care Oil, Professional Care Oil	page	33
Ecoline MultiTop Lacquer Polish, Ecoline Refresher	page	34
Ecoline Wash Care	page	35
Ecoline Magic Cleaner	page	36

**NEW**

**NEW**

**NEW**

## ***Care instructions***

for oiled wood surfaces	page	38
for lacquered wood surfaces	page	44
for laminate, vinyl and design floors	page	48

<b>All care products at a glance</b>	page	50
--------------------------------------	------	----

# The QR-Code from SAICOS

Product application clearly arranged



# The QR-Code from SAICOS

Product application clearly arranged



## Easy application


Scan QR-Code.  
Select your language.  
Watch movie.  
Know how it works.

### Our service for you:

- A technical data sheet as well as a self-explanatory application video per product is available.
- Application video: the correct application with vivid step-by-step explanations.
- Technical data sheet: all that there is to know via a PDF can be clicked on either directly at the shelf or via can label.

# SAICOS consumption calculator


Choose application area. Type in square metre. Done.





# SAICOS consumption calculator

Choose application area. Type in square metre. Done.



**Easy searching – quick finding:**  
Correct coating made easy.

**Are you familiar with that?**

... the garden house needs a re-coating.

But: What kind of product is the best choice for a long-lasting effect?

... the decking has been laid.

But: How do I protect it best against weathering?

... square meter area is known.

But: How many cans do I need for the coating?

... Brush, roller, floor brush? With what kind of tool  
do I get the optimal result?

... where can I buy everything that I need without  
forgetting anything?



**www.saicos.de**

**The consumption calculator from SAICOS.**

**We have the answers.**

# A superior coating

for permanently beautiful surfaces



▶ Video



easy to apply

DIbT approval Z-157.10-4

1 l = 14 m<sup>2</sup> (2 coats)



**3320**  
**Ultra matt Plus**  
colourless

**3305**  
**Matt**  
colourless

**3200**  
**Satin matt**  
colourless

**3035**  
**High gloss**  
colourless

**3100**  
**White**  
transparent

**3317**  
**Silver Grey**  
transparent

**3328**  
**Teak**  
transparent

**3381**  
**Walnut**  
transparent

**3385**  
**Rosewood**  
transparent

**3319**  
**Black**  
opaque Ultra matt

**3299**  
**Effect**  
transparent

**3333**  
**Pure**  
transparent

**NEW\***

## Premium Hardwax-Oil

Can Size	Item Number
0,75 l	(Item Number) 300
2,5 l	(Item Number) 500
10 l	(Item Number) 700
25 l	(Item Number) 800

For natural, permanently beautiful surfaces that are easy to maintain, we recommend our *Premium Hardwax-Oil*.

The natural ingredients of the hardwax-oil penetrate deeply into the pores of the wood and give the surface a wonderful haptic.

It dries quickly, giving you a high-class surface in just one day.

Surfaces coated with *Premium Hardwax-Oil* can be sanded and partially re-oiled at any time.

No visible contact points and all naturally based, suitable for all wood surfaces.

**\* Improved formula:**  
for a more natural and unfinished look.



# The Premium Hardwax-Oil System

3 additives that are particularly designed for your needs



## ***Additive UV Protection (3242)***

Natural discoloration is a direct result of the wood's exposure to light. The *Additive UV Protection* reduces the natural discoloration of the wood significantly.



## ***Additive Anti-Slip R10 (3240)***

We can fulfill a big market demand with the *Additive Anti-Slip*. The final coating achieves the certified anti-slip property R10.



## ***Additive Hardener 2K (3243)***

With the *Additive Hardener 2K*, the *SAICOS Hardwax-Oil* dries quicker even under difficult working conditions e.g. high air humidity. In general, coated surfaces can be walked on earlier and have an improved abrasion hardness. The additive can also be used for the *Ecoline Oil Ground Coat*.



# For your green footprint

our innovative and eco-friendly coating system



▶ Video



**low-solvent: VOC <10 %**

**DIBt approval Z-157.10-4**

**1 l = 35 m<sup>2</sup> (2 coats)**



interior



1-2x  
application



3-5h  
drying time



R9  
anti-slip



35m<sup>2</sup>  
coverage



DIN EN 71-3  
for wooden toys



ecological

**3600Eco**  
**Satin matt**  
colourless

## **Ecoline Hardwax-Oil – satin matt colourless**

Can Size	Item Number
0,75 l	3600Eco 300
2,5 l	3600Eco 500
10 l	3600Eco 700

If you want to achieve permanently beautiful, natural surfaces that are easy to care, whilst avoiding solvents, we recommend our *Ecoline Hardwax-Oil*.

The natural ingredients of the hardwax-oil penetrate deeply into the pores of the wood and give the surface a wonderful haptic and satin matt appearance.

It dries quickly, giving you a high-class surface in just one day.

Surfaces coated with *Ecoline Hardwax-Oil* can be sanded and partially re-oiled at any time. No visible contact points and all naturally based, suitable for all wood surfaces.



**cobalt-free**

**1 l = 14 m<sup>2</sup> (2 coats)**



interior



2x  
application



3-5h  
drying time



R9  
anti-slip



14m<sup>2</sup>  
coverage



DIN EN 71-3  
for wooden toys



ecological

**3601Eco**  
**Matt**  
colourless

**3602Eco**  
**Satin matt**  
colourless

## **Ecoline Hardwax-Oil 'Nature'**

Can Size	Item Number
0,75 l	(Item Number) 300
2,5 l	(Item Number) 500
10 l	(Item Number) 700

Developed according to the latest research results: **cobalt-free Hardwax-Oil for rolling.**

**Complete coating possible  
in only one day!**

# Free choice of final coating

get beautiful wood thanks to the best natural oils



**low-solvent: VOC <10 %**

**DIBt approval Z-157.10-4**

**1 l = approx. 65 m<sup>2</sup> (1 coat)**



## Ecoline Oil Ground Coat

Can Size	Item Number
0,75 l	(Item Number) 300
2,5 l	(Item Number) 500

Highlight the beauty of your wood with pure natural oil - low-solvent. High-pigmented, for professional usage.

The *Ecoline Oil Ground Coat* has been specially developed for wood, cork and bamboo floors, as well as particularly heavily used pieces of furniture.

It combines an exceptional good abrasion resistance with high durability and emphasises the natural beauty of your wood.

**For the final coat, we recommend:**

- » *Ecoline Hardwax-Oil* or
- » *SAICOS Premium Hardwax-Oil* or
- » *Ecoline MultiTop<sup>plus</sup> Lacquer system*

<b>3408Eco</b> <i>Extra-White</i> transparent	<b>3409Eco</b> <i>White</i> transparent	<b>3410Eco</b> <i>Colourless</i> transparent	<b>3413Eco</b> <i>Birch</i> transparent
<b>3417Eco</b> <i>Silver Grey</i> transparent	<b>3418Eco</b> <i>Pear</i> transparent	<b>3422Eco</b> <i>Chestnut</i> transparent	<b>3428Eco</b> <i>Teak</i> transparent
<b>3438Eco</b> <i>Mahogany</i> transparent	<b>3458Eco</b> <i>Oak</i> transparent	<b>3474Eco</b> <i>Basalt Grey</i> transparent	<b>3477Eco</b> <i>Graphite</i> transparent
<b>3479Eco</b> <i>Antique Grey</i> transparent	<b>3481Eco</b> <i>Walnut</i> transparent	<b>3485Eco</b> <i>Rosewood</i> transparent	<b>3490Eco</b> <i>Ebony</i> transparent



# One lacquer for everything

## Ecoline MultiTop<sup>Plus</sup> – the plus for a perfect floor

We asked ourselves how we can simplify our lacquer range and make it even more efficient at the same time.

### *The solution: a lacquer for every requirement!*

The basis is our *Ecoline MultiTop*; you simply mix in the **additive components**.

#### The application? Unchanged!

Mix the additives into the lacquer and shake. The coating is ready for use.

Whether you want Hardener, Slip-Resistant R10 or UV Protection,

we have the right solution for you.



### *Ecoline MultiTop*

Can Size	Item Number
4,55 l	(Item Number) 617

The 1 K lacquer for **extremely high wear** in private areas.

Can also be used without a primer.

**low-solvent: VOC < 10 %**

**DIBt approval Z-157.10-162\***

**1 l = approx 9 m<sup>2</sup> (1 coat)**



\* The DIBt approval is also valid in combination with each of the 7 additives.

**9980Eco**  
**Ultra matt**  
colourless

**9985Eco**  
**Matt**  
colourless

**9990Eco**  
**Satin matt**  
colourless

**9995Eco**  
**High gloss**  
colourless

### *All possible combinations at a glance:*

	Hardener 2K	UV Protection	Extra White	"R10"	Pitch Black	"Slow Down"	Pure
<b>MultiTop</b>	✓	✓	✓	✓	✓	✓	✓
<b>Hardener 2K</b>		✓	✓	✓	✓	✓	✓
<b>UV Protection</b>	✓		✓	✓	✓	✓	✓
<b>Extra White</b>	✓	✓		✓		✓	
<b>"R10"</b>	✓	✓	✓		✓	✓	✓
<b>"Slow Down"</b>	✓	✓	✓	✓	✓		✓
<b>Pitch Black</b>	✓	✓		✓		✓	
<b>Pure</b>	✓	✓		✓		✓	

# The Ecoline MultiTop<sup>Plus</sup> System

7 new supplements for endless varieties



## **Hardener 2K (9908Eco)**

Enables the production of a very high-quality 2K water-based lacquer which satisfies the highest demands. Also suitable for use with *Ecoline Oil Ground Coat*.

## **UV Protection (9914Eco)**

Significantly reduces the natural colour changes of wood. Also suitable for use with *Ecoline Oil Ground Coat*.



## **Extra White (9915Eco)**

For an extra-white floor, we recommend combining with *Ecoline Oil Ground Coat 3408Eco*.

## **Slip Resistant 'R10' (9916Eco)**

A major requirement for objects can be fulfilled with the *Ecoline MultiTop Slip Resistant* additive. Particularly suitable for stairs, stair heads or in objects like old people's homes.



## **Delayer 'Slow Down' (9919Eco)**

Extends the workability of the lacquer, especially under critical site conditions with high temperatures and low humidity. Also suitable for use with *Ecoline Oil Ground Coat*.

## **Pitch Black (9918Eco)**

One can accomplish a black surface with extraordinary effect. The structure of the wood and the laying system is still visible.



## **Pure (9933Eco)**

When rolling the *Ecoline MultiTop* a perfectly protected wood surface can be achieved that looks as if untreated.

The additives '*Speed Up*' (9909Eco) and *Effect 'Silver'* (9917Eco) remain deliverable upon request until further notice.



# 'Fair play' for your sports floors

with our premium sport coating for the toughest demands



**low-solvent: VOC < 5 %**

**DIBt approval Z-157.10-161**

**1 l = approx. 9 m<sup>2</sup> (1 coat)**



**9970Eco**  
**Satin matt**  
colourless

**9975Eco**  
**Matt**  
colourless

## ***Ecoline Future 2 K Premium Sport – incl. hardener***

**Can Size**

5 l

**Item Number**

(Item Number)

The special lacquer, specially developed for sports floors (wood and bamboo floors) and particularly heavily used pieces of furniture, for excellent resistance.

*Ecoline Future 2 K Premium Sport* is delivered as a set containing the lacquer and hardener. The latter clicks into the container, saving space, and only needs to be shaken in.

This easily workable system can also be used without a primer.

According to DIN 18032-2:2001-04.



# Special solutions

to complete our lacquer system



low-solvent: VOC < 5 %

DIBt approval Z-157.10-162

1 l = approx. 15 m<sup>2</sup>



## Ecoline Future Universal Ground Coat – colourless

Can Size	Item Number
5 l	9913Eco 610

The low-solvent primer for all SAICOS lacquer combination. *Ecoline Future Universal Ground Coat* has been developed for wood, cork and bamboo floors.

Blocks particularly well against wood components in exotic woods and prevents edge bonding. In addition, the patchy discolouration of the surface due to the aforementioned wood components (so-called bleed-through) is prevented, and the subsequent coat is protected against discolouration, blistering and reduced adhesion.

The watery, natural oil-based primer is easily in usage and offers a high coverage.

**For the final coat we recommend:**

- » *Ecoline MultiTop<sup>Plus</sup> Lacquer system* or
- » *Ecoline Future 2 K Premium Sport*



low-solvent: VOC < 5 %

DIBt approval Z-157.10-162

1 l = approx. 15 m<sup>2</sup>



## Ecoline Ground Coat 'Speed' - colourless

Can Size	Item Number
5 l	9912Eco 610

The special ground coat for rolling with extremely short drying time, coatable after 1 hour.

Film-forming, usable for all European wood species.

# Special solutions

to complete our lacquer system



**low-solvent: VOC < 5 %**

**1 l = approx. 13 m<sup>2</sup>**



interior



application



transparent



coverage



drying time

## *Ecoline Crack-Filler - colourless*

Can Size	Item Number
5 l	0970 002Eco

*Ecoline Crack-Filler* is water-based for simply producing grout from grinding dust.

It dries extremely quickly and has impressive sanding properties.

Suitable for all SAICOS floor primers and coatings, as well as all common wood types that are dry and uncoated.

Application quantity: 80 - 100 g/m<sup>2</sup>.



# Our alternative for biocide wood protection

particularly recommended for wood in moist rooms



protection from moisture

1 l = approx. 8 m<sup>2</sup>



interior



application



natural oils



ecologically friendly

**9000**  
**Satin matt**  
**colourless**

## Wood Impregnation biocide-free – Satin matt colourless

Can Size	Item Number
0,75 l	9000 300
2,5 l	9000 500
10 l	9000 700
25 l	9000 800

SAICOS Wood Impregnation biocide-free is totally free of organic biocides and is therefore particularly harmless to your wood.

It provides natural protection against moisture damage, penetrates deeply into the wood and keeps it elastic. The wood can still breathe, allowing the moisture to escape.  
Particularly recommended for treating woods in moist rooms like bathrooms and kitchens, which are at risk of blue stain.

The alternative to biocide or fungal wood protection treatments.

**This is not a stand-alone finish.**  
**A final coat must be applied within 1 week.** We recommend SAICOS Color Wax or SAICOS Premium Hardwax-Oil.



# Special treatment for exotic woods

with our particularly deep-penetrating Ground Oil



▶ Video



especially for exotic woods

DIBt approval Z-157.10-4

1 l = 17 m<sup>2</sup> (1 coat)



3001  
Colourless

3008  
Black  
transparent

## Ground Oil Extra Thin

Can Size	Item Number
0,75 l	(Item Number) 300
2,5 l	(Item Number) 500
10 l	(Item Number) 700
25 l	(Item Number) 800

SAICOS Ground Oil Extra Thin is an open-pored primer that penetrates deeply and easily and is recommended as first coat for exotic and hardwoods.

Floors treated with SAICOS Ground Oil Extra Thin and SAICOS Premium Hardwax-Oil repel dirt and water and are extremely resistant. Moisture cannot harm this open-pored coating.

For the final coat we recommend:

» SAICOS Premium Hardwax-Oil





# Waterborne 2K PU-coating

to renovate design floors, PVC and Linoleum





# Waterborne 2K PU-coating

to renovate design floors, PVC and Linoleum



Video



Restoration instead of exchange

DIN 68861 – Part 1

DIBt approval Z-157.20-208\*

1 L = 10 m<sup>2</sup> (1 coat)

\* The DIBt approval is also effective in combination with each of the supplements.



## NEW 2K PU Elastic Colourless matt

Can Size

4,55 L

Item Number

9600 617

Waterborne 2K PU sealer based on polyurethane to renovate surface protection and to be used as a new coating on design floors, pvc and linoleum.

This hard-wearing coating offers a very good adhesion as well as high elasticity. It is highly resilient and abrasion-resistant and offers a better resistance against common household disinfectants.

Due to its excellent leveling SAICOS 2K PU Elastic is easy and safe to use. The high solid content reduces dirt-attraction and reduces maintenance efforts.

*“hardener” has to be ordered separately as it is not included in delivery: Hardener 2K (9608).*

9600  
Matt  
colourless



# 2K PU system

individual supplements and cleaning products



**NEW**

## **NEW Hardener 2K (9608)**

By adding the hardener 2K the surfaces dries quicker – especially under difficult conditions e.g. high humidity.

## **NEW Anti-Slip R10 (9616)**

The supplement Anti Slip R10 fulfills a common request for commercial projects. Especially suitable for staircases, projects or surfaces with higher anti-slip properties.



**NEW**



**NEW**

## **NEW Delayer (9619)**

Prolongs the workability of the lacquer. Especially suitable for critical conditions on-site (higher temperatures and low humidity).

### **All possible combinations at a glance:**

	2K PU Elastic	Anti-Slip R10	Delayer
Hardener 2K	✓	✓	✓
Anti-Slip R10	✓		✓
Delayer	✓	✓	



*for all water-resistant,  
alkali-sensitive floor coverings*

*removes hardest coatings*

### **NEW** *Basic Cleaner Concentrate*

Can Size	Item Number
1 L	8124 409

SAICOS Basic Cleaner for design flooring, PVC & linoleum is a concentrated intense cleaner for all water-resistant, alkali-sensitive floor coverings. Especially for design floors, PVC and linoleum. Also suitable for natural- or artificial stone, limestone, clay, brick and natural rubber. Also removes strongest dirt.

The use saves time due to its short exposure time.

Loosend dirt is easy to remove.  
Also suitable for cleaning machines.

*We recommend to use a green pad (0950 599).*



# New life for your favorite furniture

and colourful highlights for walls and floors



moisture-regulating

DIBt approval Z-157.10-4

1 l = approx. 21 m<sup>2</sup> (1 coat)\*



## Color Wax

Can Size	Item Number
0,375 L	(Item Number) 200
0,75 L	(Item Number) 300
2,5 L	(Item Number) 500

The natural oils used for SAICOS Color Wax penetrate deeply into the wood and keep it elastic. Natural waxes protect the surface and ensure high durability and ease care. Perfect for children's toys and all wooden objects.

**Ideal for restoring old furniture:** gives new life to surfaces, making them both resistant and easy to maintain.

SAICOS Color Wax is excellent for designing colourful wall surfaces and floors made of wood, bamboo and cork. On heavily used wood surfaces (e.g. flooring), we recommend using SAICOS Premium Hardwax-Oil as a final coating.

<b>3009</b> White transparent	<b>3010</b> Colourless transparent	<b>3013</b> Birch transparent	<b>3017</b> Silver Grey transparent
<b>3018</b> Pear transparent	<b>3028</b> Teak transparent	<b>3032</b> Cherry transparent	<b>3058</b> Oak transparent
<b>3081</b> Walnut transparent	<b>3085</b> Rosewood transparent	<b>3090</b> Ebony transparent	
<b>3012</b> Lemon Yellow opaque	<b>3034</b> Raspberry opaque	<b>3033</b> Pink opaque	<b>3051</b> Vintage Blue opaque
<b>4009</b> White opaque	<b>4019</b> Schwarz opaque		

\*Opaque:  
1 L = approx. 12 m<sup>2</sup> (2 coats)

# Interior finishes

with the little 'extra'



**prevents yellowing**

**1 l = approx. 9 m<sup>2</sup> (2 coats)**



**7701**  
Colourless

**7704**  
White  
transparent

## UV Protective Wood Finish Interior

Can Size	Item Number
0,75 l	(Item Number) 301
2,5 l	(Item Number) 501

Transparent wood finish for all interior woods. Get a natural 'untreated' effect whilst retaining outstanding protection against yellowing and a neat, dirt-repellant surface.

Can only be painted over with the same coating or with **SAICOS Bel Air Special Wood Colour**.



**moisture-regulating**

**1 l = approx. 17 m<sup>2</sup> (1 coat)**



**3002**  
Colourless

## Clear Wax – colourless

Can Size	Item Number
0,75 l	3002 300
2,5 l	3002 500
10 l	3002 700
25 l	3002 800

**SAICOS Clear Wax** is a deeply and easily penetrating open-pored special finish. Recommended especially for treatment of hardwoods and wood in moist rooms.

Interior woods and furniture treated with **SAICOS Clear Wax** repel dirt and water and are extremely resistant.

**SAICOS Clear Wax** surfaces are easy to clean, maintain and renovate.

# Everything for the perfect application

from Flat Brush to Cross Grinding Pad



## Cross Grinding Pads (16" / 406 mm)

Grain Size	Item Number
grain 100	0950 797
grain 120	0950 798
grain 150	0950 799

## Super Pad (16" / 406 mm)

Colour	Item Number
white	0950 575
green	0950 599
black	0950 623

## Roller Handle



Size	Item Number
100 mm	0950 019
250 mm	0950 020

## Universal Roller 'Small'



Set of 2 rollers

Size	Item Number
100 mm	0950 007

## Floor Brush



Size	Item Number
150 mm	0950 150
220 mm	0950 220

## Roller, 250 mm



Product	Item Number
Aqua-Roller	0950 008
Oil/Wax-Roller	0950 013



# Thoughtful & approved tools

to make your work easier

## Brush Cleaner – benzene-free



Cleans tools after use with oil / wax-based SAICOS wood finishes. Also removes resins.

Can Size	Item Number
1 l	5100 404
10 l	5100 715

## Double Blade Scraper - stainless steel



Size	Item Number
270 mm	0950 027

## Telescopic handle with click connection

High-quality processed, thick-walled telescopic handle with aluminum tube and ergonomic handpiece. The attached snap connection provides a secure link to all necessary attachments.



Size	Item Number
110 - 220 cm	0950 231

## Flat Brush for oil and water systems



Size	Item Number
30 mm	0950 030
50 mm	0950 050
60 mm	0950 060
100 mm	0950 100

## Paint Tray 'Small' (15 x 30 cm)



Paint Tray 'Small', for use with the SAICOS Flat Brush and Universal Roller 'Small'. Tray inserts can be ordered separately in 5-piece sets.

Product	Item Number
Paint Tray	0950 227
5x Tray Insert	0950 228

## Paint Tray 'Large' (31 x 35 cm)



Large Paint Tray, for use with the SAICOS Rollers and SAICOS Flat Brush. Tray inserts can be ordered separately in 5-piece sets.

Product	Item Number
Paint Tray	0950 229
5x Tray Insert	0950 230



*Care Instruction  
oiled wooden floors*



*Care Instruction  
lacquered wooden floors*



# Cleaning, care & accessories

to make correct care a child's play



2parts – complete set

## NEW Telescope-Maintenance Cloth

Product	Item Number
Telescopic handle & 1 wiper	8189
Replacement cloth	
1 cloth	8190

Extractable telescopic handle (1,05 - 1,85 m) with special-cloth suitable for:

- SAICOS Wax Care (8100)
- SAICOS Wash Care Oil (8145)
- Ecoline MultiTop Lacquer Polish (8152Eco / 8153Eco)



3parts – complete set

## Ecoline Maintenance Set

Product	Item Number
Telescopic handle & 2 wipers	8108Eco
Replacement cloths	
2 pieces	8188Eco

Telescopic handle (0,90 - 1,40 m) including 2 special wipers.

Especially developed for all water-soluble maintenance products:

- Ecoline Wash Care (8101Eco)
- Ecoline Magic Cleaner (8125Eco)
- Ecoline Wax Care (8119Eco)
- Ecoline Refresher (8106Eco)



## Polishing Pads (2 pieces)

Product	Item Number
2 pieces	0950 000

# Cleaning, care & accessories

to make correct care a child's play



**water-resistant effect**

**0,3 l = approx. 7 m<sup>2</sup> (1 coat)**



interior



natural oils



application



drying time



4-7m<sup>2</sup>

coverage



easy-care



ecologically friendly

## Furniture Oil – colourless

Can Size	Item Number
0,3 l	3311 180
Presentation box with 20 cans	
0,3 l	3399

SAICOS Furniture Oil has been specially developed for treatment of furniture surfaces, tables and kitchen work tops, doors and other wooden objects (e.g. wooden toys) in the home. It is easy to apply, very resistant and repels water and dirt.

SAICOS Furniture Oil bonds permanently with the wood, therefore no sanding required in the event of a renovation. It retains the natural beauty, even after years.

**3311**  
**Colourless**

# Care for oiled surfaces

to make correct care a child's play



▶Video



regenerative care

1 l = approx. 100 m<sup>2</sup>



▶Video



solvent-free

1 l = approx. 200 m<sup>2</sup>



## Wax Care

Can Size	Item Number
0,3 L	8100 180
1 L	(Item Number) 404
10 L	(Item Number) 715
<b>Presentation box with 20 cans</b>	
0,3 L	8116

SAICOS Wax Care is a naturally based fluid cleaning and care product for wood. It is specially developed for wood and cork floors with **oiled surfaces**, as well as furniture (desk and table surfaces) and other wood surfaces.

For freshening and caring for heavily worn wood and cork floors. Effortlessly removes stubborn stains, water marks, marks from rubber soles, etc.

Regular care protects, regenerates and freshens the surface.

**8100 / 8116**  
Colourless

**8111**  
White  
transparent

## Ecoline Wax Care

Can Size	Item Number
1 l	(Item Number) 409
10 l	(Item Number) 710
<b>Spray (ready for use)</b>	
1 l	(Item Number) 417

Ecoline Wax Care is a naturally based, **solvent-free** fluid cleaning and care product for wood. It is specially developed for wood and cork floors with **oiled surfaces**, as well as furniture (desk and table surfaces) and other wood surfaces.

For freshening and caring for heavily worn wood and cork floors. Effortlessly removes stubborn stains, water marks, marks from rubber soles, etc.

Regular care protects, regenerates and freshens the surface.

## Wax Care / Spray

**8119Eco / 8129Eco**  
Colourless

**8111Eco**  
White  
transparent

# All-in-one package for oiled surfaces

cleaning or cleaning & care - the choice is yours



**solvent-free**

**complete set incl. cloths**



## *Ecoline Floor Care Set for oiled surfaces*

Product	Item Number
Set	8310Eco

We have combined everything you need to **care** for your wood floor in a handy set.

### 1. Cleaning:

#### *Ecoline Wash Care*

For solvent-free wet cleaning of **all** wood and cork floors and **all** other wipeable floors.  
1 liter of concentrate

### 2. Care and protection:

#### *Ecoline Wax Care*

For freshening and caring of heavily used wood and cork floors.  
1 liter colourless

### Handy accessories:

Application cloths  
Instructions for use



**solvent-free**

**complete set incl. cloths**



## *Ecoline Floor Clean & Care Set for oiled surfaces*

Product	Item Number
Set	8311Eco

We have put together everything that you need for to **clean and care** for your wood floor in a practical set:

### 1. Cleaning:

#### *Ecoline Magic Cleaner*

For intensive cleaning of **all** wood surfaces and **all** other surfaces.  
1 liter of concentrate

### 2. Care and protection:

#### *Ecoline Wax Care*

For freshening and caring of heavily used wood and cork floors.  
1 liter colourless

### Handy accessories:

Application cloths  
Instructions for use



# Professional care for oiled surfaces

Initial maintenance and renovation



**NEW**

**Refreshing**

**1 L = approx. 100 m<sup>2</sup>**



interior



100 m<sup>2</sup>  
coverage



dirt-repellent



R9  
slip resistant

## **NEW Wash Care Oil** for oiled and waxed surfaces

**Can Size**

1 L

**Item Number**

8145 404

Especially for oiled and waxed parquet.

One cap size for 1m<sup>2</sup>.

Rub equally with the SAICOS Telescope Maintenance Cloth on the cleaned floor and let dry. You will achieve a new renovated surface.

**Frequency of maintenance:**

Annually (commercial sector) or according to demand.

**Application with the SAICOS Telescope Maintenance Cloth 8189**

**8145**

**Colourless**



**NEW**

**Recoating and refreshing**

**Coverage: 15 - 20 g/m<sup>2</sup>**



interior



application



3-4h  
drying time



dirt-repellent

## **NEW Professional Care Oil** for pre-oiled surfaces

**Can Size**

1 L

**Item Number**

81395 404

For the final coating of pre – oiled wood floors (hardwood and softwood), parquet, planks, wood – block pavings and industrial parquet.

Put the SAICOS Professional Care Oil on the floor and apply equally with a spatula. Buff the treated surface until even appearance with one- or multidisc rotary machine (white pad) after max. 30 min.

**Frequency of maintenance:**

Annually (commercial sector) or according to demand.

**81395**

**Colourless**



R9  
slip resistant

# Maintenance & renovation for lacquered surfaces

Low-solvent, for renovation and renewal of your hard-wearing surfaces



## **NEW** Ecoline MultiTop Lacquer Polish – for lacquered surfaces

Can Size	Item Number
1 L	(Item Number) 409

Especially for lacquered floors.  
For renovation and renewal of your  
hard-wearing lacquer surfaces.

Application with the *SAICOS Telescope Maintenance Cloth* 8189.

**low-solvent: VOC < 5 %**

**1 L = approx. 100 m<sup>2</sup>**

**8152Eco**  
Matt

**8153Eco**  
Satin matt



**Video**



## **Ecoline Refresher – for lacquered surfaces**

Can Size	Item Number
1 L	8106Eco 409
5 L	8106Eco 610
10 L	8106Eco 710

**Low-solvent** care and regeneration  
concentrate for **lacquered** wood and  
bamboo surfaces.

It retains the beautiful, clear look of your  
lacquered surfaces, whilst regenerating  
them and keeping them looking fresh.  
Surfaces treated with this product are  
dirt-repellent and extremely durable.

Application with the **Ecoline Maintenance Set 8108Eco)**

**low-solvent: VOC < 5%**

**1 l = 10 l water**

# Maintenance for all surfaces

solvent-free, perfect for wood, design floors, tiles, stones, ...



Video



**solvent-free**

**1 l = approx. 700 m<sup>2</sup>**



interior



dirt-repellent



700m<sup>2</sup>  
coverage



R9  
slip resistant



easy-care



ecologically friendly

## *Ecoline Wash Care Concentrate for all surfaces*

Can Size	Item Number
1 L	8101Eco 409
5 L	8101Eco 610
10 L	8101Eco 710

For **solvent-free** damp cleaning of **all wood** and **cork floors** and **all other wipeable floors**.

Made of plant soaps and natural care ingredients, it cleans and protects without streaks.

*Ecoline Wash Care* protects against recontamination and is especially kind to skin.

It's low foam formula makes it suitable for cleaning machines.  
Very well-suited for laminate floors.

**Application with Ecoline  
Maintenance Set 8108Eco**

# Maintenance for all surfaces

solvent-free, perfect for wood, design floors, tiles, stones, ...



▶ Video



solvent-free

## Ecoline Magic Cleaner for all surfaces

Can Size	Item Number
1 L	8125Eco 409
5 L	8125Eco 610
10 L	8125Eco 710
Spray (ready for use)	
1 L	8126Eco 417

Save yourself the hard work of sanding worn down surfaces.

Ecoline Magic Cleaner –  
The perfect solvent-free solution!

Suitable for intensive cleaning of **all wooden surfaces** and all other surfaces such as PVC, linoleum and tile.

Removes nicotine, fat and dirt, e.g. in the kitchen and bathroom. Suitable for cleaning machines. 1 liter is sufficient for approx. 10 liter of water.

Application with Ecoline Maintenance Set 8108Eco





## Care Instructions



# Clean & care of oiled wood surfaces

## Regular damp cleaning

**Wash Care Concentrate**  
removes normal dirt  
of all wipeable surfaces  
gently and thoroughly



### Fields of application:

For all wooden and cork floors with waxed / oiled surface and all other floors such as PVC, linoleum, ceramic, tiles ...

Very well suited for laminate floors.

Also for furniture and other interior wood with waxed / oiled or lacquered surface.

### Recommended application:



- » Dilute the concentrate with water  
(3 caps with approx. 5 l of water).



- » We recommend the application with *Ecoline Maintenance Set 8108Eco*.
- » Make sure that the wiping cloth is wrung out carefully  
to ensure **damp** cleaning.



- » Wipe dry if required.
- » To remove particularly stubborn stains, as well as for occasionally freshening and caring of **oiled** wood and cork floors, furniture and interior woods, we recommend our *Wax Care*.



- » Heavily worn down **oiled** floors can also be renovated with *Hardwax-Oil*.
- » Please consider our current technical data sheets.



# Clean & care of oiled wood surfaces

*Initial maintenance  
and renovation*



**Wax Care**  
removes stubborn stains,  
protects and regenerates heavily used  
wood and cork floors

## **Fields of application:**

Especially for wooden and cork floors with waxed / oiled surface, as well as furniture (work and table tops) and other wooden surfaces.

## **Recommended application:**



- » Shake well before use.
- » Clean the surfaces to be treated with *Ecoline Wash Care*



- » Apply one cap of wax (for approx. 1 - 2 m<sup>2</sup>) to the surface and rub in evenly with a cloth.



- » Allow to dry.
- » No visible contact points to non-treated surfaces.



- » Please consider our current technical data sheets.

*Also available as ready-to-use spray.*



# Clean & care of oiled wood surfaces

## Refreshing

**Wash Care Oil**  
maintenance of heavily used  
wood and cork surfaces



### Fields of application:

Especially for oiled and waxed wood surfaces. Also well suited for furniture and other interior wood.

### Anwendungsempfehlung:



- » Clean the surfaces to be treated with *Ecoline Magic Cleaner*.
- » Sand with a *green pad* if necessary.
- » Remove sanding dust thoroughly with a dry cloth and vacuum cleaner.
- » The wood surface must be dry and clean. .



- » Before use, allow can to acclimate to room temperature and shake well.



- » Apply one cap (for approx. 1 m<sup>2</sup>) onto the surface.
- » Rub evenly with the *SAICOS Telescope-Maintenance Cloth* and let it dry.
- » Do not leave any puddles, to avoid an irregular surface.



- » Ensure that windows are open during and after application  
Oxidative drying – ensure good ventilation.
- » Please consider our current technical data sheets.

# Clean & care of oiled wood surfaces



*Initial maintenance  
and renovation*

**Professional Care Oil**  
*protects the surface of parquet floors  
in residential and commercial areas*

## **Fields of application:**

For wood floors made of hard or soft woods, parquet, planks, wood block and industry parquet. Suitable for all European wood species, exotic woods and smoked oak.

## **Recommended application – repair & renovation:**



- » Sand with a *green pad* if necessary.
- » Remove sanding dust thoroughly with a dry cloth and vacuum cleaner.
- » The wood surface must be dry and clean.



- » Shake well before use – do not dilute.



- » Apply thin and evenly once or twice with a white pad or cloth.



- » Ensure that windows are open during and after application for ventilation.
- » Please consider our current technical data sheets.

# Clean & care of oiled wood surfaces

## Intensive cleaning

**Magic Cleaner Concentrate**  
quick and intensive cleaning of  
all heavily soiled and worn surfaces



### Fields of application:

Intensive cleaning of all waxed, oiled or lacquered surfaces. Also for all other surfaces such as PVC, Linoleum, ceramic, tiles, natural stone ...  
Easy removal of nicotine, grease and dirt films in bathroom and kitchen.

### Recommended application:



- » Dilute the concentrate **1:10** with water (e.g. 0.5 l with 5 l of water).
- » Put the dilution evenly on the surface with our *Ecoline Maintenance-Set*, wiper or cloth.
- » Do not pour on the surface and do not leave any puddles.



- » Allow to absorb for **5 - 20 minutes**.
- » Re-treat dried areas during this time.



- » Remove any loosened dirt thoroughly with a damp *Ecoline Maintenance-Set*, clean wiper or cloth.
- » Wipe 2 - 3 times with fresh water and a damp cloth. Wipe dry.
- » Repeat the application if necessary.



- » Do not apply on untreated wood / cork surfaces, as this may hamper a subsequent coating.
- » Please consider our current technical data sheets.



*Also available as ready-to-use spray.*

# Clean & care of oiled wood surfaces

## Repair & renovation of a coating



**Premium Hardwax-Oil**  
restores the original properties  
of oiled wood surfaces

### Fields of application:

**All kinds of indoor wood flooring:** parquet, solid wood floors, strip parquet, veneer wood ...

All kinds of cork floors: parquet, cork tiles ...

**Also for other high-wear wood surfaces:** counter and table tops, furniture and other interior wood – also recommended for children's toys and other wood objects.

Ideal for use in rooms with high humidity such as bathrooms and kitchens.

### Recommended application - Repair & Renovation:



- » Clean the surfaces to be treated with *Ecoline Magic Cleaner*



- » The wood surface must be dry and clean.
- » Sand with a *green pad* if necessary.
- » Remove sanding dust thoroughly with a dry cloth and vacuum cleaner.



- » Stir well - do not dilute.
- » Apply thinly and evenly once or twice with a white pad or cloth.



- » Ensure that windows are open during and after application  
Oxidative drying – ensure good ventilation.
- » Please consider our current technical data sheets.

# Clean & care of lacquered wood surfaces

## Regular damp cleaning

**Wash Care Concentrate**  
removes normal dirt  
of all wipeable surfaces  
gently and thoroughly



### Fields of application:

For all wooden and cork floors with waxed / oiled surface and all other floors such as PVC, linoleum, ceramic, tiles ...

Very well suited for laminate floors.

Also for furniture and other interior wood with waxed / oiled or lacquered surface.

### Recommended application:



- » Dilute the concentrate with water  
(3 caps with approx. 5 l of water).



- » We recommend the application with *Ecoline Maintenance Set 8108Eco*.
- » Make sure that the wiping cloth is wrung out carefully  
to ensure **damp** cleaning.



- » Wipe dry if required.



- » Please consider our current technical data sheets.



# Clean & care of lacquered wood surfaces

## Care & maintenance



***Ecoline Refresher Concentrate***  
*care and regeneration  
for lacquered SAICOS surfaces*

### ***Fields of application:***

Especially for *Ecoline* lacquered flooring made of wood and bamboo. Also well suited for furniture and other interior wood (lacquered surfaces).

### ***Recommended application:***



» Clean the surfaces to be treated with *Ecoline Wash Care*



» Dilute *Ecoline Refresher Concentrate 1:10* with water  
(e.g. 0.5 l with 5 l of water).



» Spread evenly on the surface with a damp wiper  
(*Ecoline Maintenance Set*).



» Allow to dry.  
» Please consider our current technical data sheets.

# Clean & care of lacquered wood surfaces

## Intensive cleaning

**Magic Cleaner Concentrate**  
quick and intensive cleaning of  
all heavily soiled and worn surfaces



## Fields of application:

Intensive cleaning of all waxed, oiled or lacquered surfaces. Also for all other surfaces such as PVC, Linoleum, ceramic, tiles, natural stone ...  
Easy removal of nicotine, grease and dirt films in bathroom and kitchen.

## Recommended application:



- » Dilute the concentrate **1:10** with water (e.g. 0.5 l with 5 l of water).
- » Put the dilution evenly on the surface with our *Ecoline Maintenance-Set*, wiper or cloth.
- » Do not pour on the surface and do not leave any puddles.



- » Allow to absorb for **5 - 20 minutes**.
- » Re-treat dried areas during this time.



- » Remove any loosened dirt thoroughly with a damp *Ecoline Maintenance-Set*, clean wiper or cloth.
- » Wipe 2 - 3 times with fresh water and a damp cloth. Wipe dry.
- » Repeat the application if necessary.



- » Do not apply on untreated wood / cork surfaces, as this may hamper a subsequent coating.
- » Please consider our current technical data sheets.



*Also available as ready-to-use spray.*

# Clean & care of lacquered wood surfaces

*renovation  
and renewal*



***Ecoline MultiTop Lacquer Polish***  
*for renovation and renewal  
of your hard-wearing lacquer surfaces*

## ***Fields of application:***

Especially for *Ecoline* lacquered flooring made of wood and bamboo. Also well suited for furniture and other interior wood (lacquered surfaces).

## ***Recommended application:***



- » Shake well before use.
- » Clean the surfaces to be treated with *Ecoline Wash Care* or in case of heavy soiling / worn out surface, clean with *Ecoline Magic Cleaner*.
- » Sand with a *green pad* if necessary. Remove sanding dust thoroughly with a dry cloth and vacuum cleaner.



- » Spread even and sufficiently on the cleaned and dry floor with a fine-fiber wiper (SAICOS *Telescope-Maintenance Cloth* - do not process by machine).
- » Too little application prevents the smooth leveling. Avoid puddles, splashes and drops.
- » Spread evenly – do not polish.
- » Treat larger surfaces in sections. It must not have been dried between sections.
- » Last application should be done in direction of wood grain.
- » Under right conditions the surface can be walked on after approx. 30 minutes.



- » Please consider our current technical data sheets.

# Clean & care of laminate, vinyl and design floors

## Regular damp cleaning

**Wash Care Concentrate**  
removes normal dirt  
of all wipeable surfaces  
gently and thoroughly



### Fields of application:

For all wooden and cork floors with waxed / oiled surface and all other floors such as PVC, linoleum, ceramic, tiles ...

Very well suited for laminate floors.

Also for furniture and other interior wood with waxed / oiled or lacquered surface.

### Recommended application:



- » Dilute the concentrate with water  
(3 caps with approx. 5 l of water).



- » We recommend the application with *Ecoline Maintenance Set 8108Eco*.
- » Make sure that the wiping cloth is wrung out carefully  
to ensure **damp** cleaning.



- » Wipe dry if required.



- » Please consider our current technical data sheets.

# Clean & care of laminate, vinyl and design floors

## Intensive cleaning



**Magic Cleaner Concentrate**  
quick and intensive cleaning of  
all heavily soiled and worn surfaces

### Fields of application:

Intensive cleaning of all waxed, oiled or lacquered surfaces. Also for all other surfaces such as PVC, Linoleum, ceramic, tiles, natural stone ...

Easy removal of nicotine, grease and dirt films in bathroom and kitchen.

### Recommended application:



- » Dilute the concentrate **1:10** with water (e.g. 0.5 l with 5 l of water).
- » Put the dilution evenly on the surface with our *Ecoline Maintenance-Set*, wiper or cloth.
- » Do not pour on the surface and do not leave any puddles.



- » Allow to absorb for **5 - 20 minutes**.
- » Re-treat dried areas during this time.



- » Remove any loosened dirt thoroughly with a damp *Ecoline Maintenance-Set*, clean wiper or cloth.
- » Wipe 2 - 3 times with fresh water and a damp cloth. Wipe dry.
- » Repeat the application if necessary.



- » Please consider our current technical data sheets.

Also available as ready-to-use spray.



# All care products at a glance







the right solution for all floors



*Ecoline Wash Care*

*Ecoline Wax Care*

*Ecoline Magic Cleaner*

<i>low-solvent / solvent-free</i>				
<i>Coating</i>	all	oil	all	
<i>Wood and bamboo floors</i>	✓	✓	✓	
<i>Table and desk surfaces</i>	✓	✓	✓	
<i>Furniture</i>	✓	✓	✓	
<i>Ceiling and wall panels</i>	✓		✓	
<i>Toys</i>	✓		✓	
<i>Laminate, PVC, others</i>	✓		✓	
<i>Mix ration with water / application quantity</i>	3 caps with 5 l	1 cap for approx. 1-2 m <sup>2</sup>	1 : 10	
<i>Available package sizes</i>	1 L 5 L 10 L	1 L 10 L	1 L 5 L 10 L	
<i>Product type</i>	Concentrate	Ready-to-use Wax Care and Spray	Concentrate and Spray	
<i>Application interval private</i>	monthly (or as required)	2x per year (or as required)	annually (or as required)	
<i>Application interval objects</i>	weekly (or as required)	monthly (or as required)	2x per year (or as required)	
<i>Application</i>				
<i>Coverage (m<sup>2</sup> per 1 liter)</i>	approx. 700 m <sup>2</sup>	approx. 200 m <sup>2</sup>	1 liter is sufficient for approx. 10 liter of water	





Wax Care



Ecoline  
Refresher



Ecoline  
MultiTop  
Lacquer Polish



Professional  
Care Oil



Wash Care Oil



	oil	lacquer	lacquer	oil	oil
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
				✓	✓
				✓	✓
	1 cap for approx. 1 m <sup>2</sup>	0,5 l with 5 l	1 L = approx. 100 m <sup>2</sup>	1 L = approx. 100 m <sup>2</sup>	1 L = approx. 100 m <sup>2</sup>
	0,3 L 1 L 10 L	1 L 5 L 10 L	1 L	1 L	1 L
	Ready-to-use Wax Care	Concentrate	Ready-to-use Lacquer Polish	Ready-to-use Professional Care Oil	Ready-to-use Wash Care Oil
	2x per year (or as required)	2x per year (or as required)	annually (or as required)	annually (or as required)	annually (or as required)
	monthly (or as required)	monthly (or as required)	1x im Jahr (oder nach Bedarf)	annually (or as required)	annually (or as required)
	approx. 100 m <sup>2</sup>	1 liter is sufficient for approx. 10 liter of water	approx. 100 m <sup>2</sup>	approx. 100 m <sup>2</sup>	approx. 100 m <sup>2</sup>

Our application advice is given to the best of our knowledge and based on experiments, but should only be treated as a non-binding guide. You must still check that the products delivered are suitable for the intended purpose. As we have no control over the application and processing of our products, the user bears full responsibility. The previous product informations shall be deemed invalid following publication of a new brochure. Changes reserved. All images of our product colour palettes are non-binding and may deviate from the original colour.

For more information, please read our current technical data sheets.

Care instructions for sealed parquet and wood flooring in accordance with DIN 18356. To ensure a good atmosphere in the room and to preserve your wood floor, we recommend a room temperature of 20-25 °C and a relative humidity of 55-60%. For more information, please read our current technical data sheets.

Photos: SAICOS COLOUR GmbH / Shutterstock, Inc.

## SAICOS COLOUR GmbH

Carl-Zeiss-Str. 3  
D-48336 Sassenberg

+49 2583 3037-0  
+49 2583 3037-10

info@saicos.de

[www.saicos.de](http://www.saicos.de)



...because we care