

# Product Information

## Exterior 2020



*with detailed care instructions*



## *Dear customer*

**Would you like to paint, beautify or maintain your wood?  
The coating should dry fast, be easily applied and last for a long  
time? Then SAICOS always has the right product for you.**

When developing our products we have taken all your wishes and processing aids into account so that you can treat your wood as simple as possible.

Via a QR-Code directly on the product itself or at the shelf in a specialist shop you can either click on the technical data sheet or a brand new video with step-by-step explanations. The QR-codes functions are: helping with the actual buying decision at the shelf, watching the product video at home or as a virtual instruction manual on your 'building site'.

For the new year we've taken all your wishes into account and expand our coating product range.




Curious? Discover more on the following pages.

Thank you very much for your trust.

***Your SAICOS team***

<b>Introduction</b>	page 2
SAICOS QR-Code	page 4

## **Exterior wood coatings**

Decking Oil H <sub>2</sub> O, End-Grain Sealing Wax	page 6	
Special Wood Oil, Additive Anti-Slip R10	page 7	
Garden Furniture Care Set	page 8	
WPC Care Oil	page 9	
House & Garden Colour	page 10	
Wood Stain	page 11	
Bel Air Special Wood Colour opaque & transparent	page 12	
Primer White	page 13	
Clear Oil Finish	page 14	
Universal Impregnation	page 15	
UV Protective Wood Finish Exterior	page 16	
Effect Wood Stain, Greying Wood Stain	page 17	

## **Cleaning & care**

Wood Brightener Power-Gel, Wood Brightener	page 18
Green-Ex, Cleaner for WPC	page 19

<b>Tools</b>	page 20
--------------	---------

## **Care instructions**

Removal of greying	page 23
Removal of green-growth	page 25
Cleaning of WPC decks	page 26

<b>FAQ</b>	page 27
------------	---------

# The QR-Code from SAICOS

Product application clearly arranged



# The QR-Code from SAICOS

Product application clearly arranged



## Easy application

Scan QR-Code.  
Select your language.  
Watch movie.  
Know how it works.

### Our service for you:

- A technical data sheet as well as a self-explanatory application video per product is available.
- Application video: the correct application with vivid step-by-step explanations.
- Technical data sheet: all that there is to know via a PDF can be clicked on either directly at the shelf or via can label.

# The new Decking Oil H<sub>2</sub>O

WE ARE  
AWARDED

NEW:  
now  
certified



## Decking Oil H<sub>2</sub>O THE water-based coating

Can Size	Item Number
0,125 L	(Item Number) 101
0,75 L	(Item Number) 301
2,5 L	(Item Number) 501
10 L	(Item Number) 701

Looking for the perfect protection for your wooden decking? Then we have just the right product for you: our innovative SAICOS Decking Oil H<sub>2</sub>O!

It emphasizes the natural beauty of the wood, is easy to use and protects against the weather in the long term.

In addition SAICOS Decking Oil H<sub>2</sub>O scores with its short drying time and the integrated slip resistance R9.



environmentally friendly

durable & natural

1 L = ca. 8 m<sup>2</sup> (2 coats)

0310  
Colourless  
transparent

0312  
Larch  
transparent

0313  
Bangkirai  
transparent

0318  
Teak  
transparent

## End-Grain Sealing Wax – colourless

Can Size	Item Number
0,125 L	8131 100
0,75 L	8131 300

Excellent protection for front and cutting edges.

Protects against hairline cracks and minimises bleeding of wood ingredients. Highly water and dirt-repellent, suitable for all wood species.



dirt-repellent

highly water-resistant



# Premium protection for your decking

for keeping the wood in your yard looking beautiful



▶ Video



perfect long-term protection

for naturally beautiful wood

1 l = approx. 14 m<sup>2</sup> (2 coats)



interior & exterior



application



drying time  
8h



slip resistant  
R9



block resistant



weatherproof



ecologically friendly

**0110**  
*Special-Oil*  
colourless

**0112**  
*Larch-Oil*  
transparent

**0113**  
*Bangkirai-Oil*  
transparent

**0116**  
*Pine-Oil* for pressure  
impregnated wood

**0118**  
*Teak-Oil*  
transparent

**0122**  
*White*  
transparent

**0123**  
*Grey*  
transparent

**0180**  
*Black*  
transparent

## Special Wood Oil

Can Size	Item Number
0,125 L	(Item Number) 100
0,75 L	(Item Number) 300
2,5 L	(Item Number) 500
10 L	(Item Number) 700

Ready for summer:  
the weather protection and care finish for  
wood decking, garden furniture and  
terraces.

Whether colourless or transparent,  
the SAICOS Special Wood Oil offers  
excellent protection, especially  
for hardwood and precious woods.

The natural oils even the surface,  
make it smooth and emphasise  
the grain of the wood.

**Important for terraces / decking:**  
surfaces treated with SAICOS Special Wood  
Oil are slip resistant (R9).

## Special Wood Oil Additive Anti-Slip R10

Can Size	Item Number
for 0,75 L	0240 155
for 2,5 L	0240 255

With the additive *Anti-Slip R10* the  
SAICOS Special Wood Oil obtains anti-slip  
property R 10.

**Mixing ratio:**  
The quantity in the additive cans fit the  
particular can size 0,75 L and 2,5 L.




▶ Video



# Beauty care for your garden furniture

all in one set, suitable for all wood types



## Garden Furniture Care Set

Product	Item Number
Set	8178

We have put together everything that you need for beautiful garden furniture in a handy set:

### 1. Cleaning:

*SAICOS Wood Brightener*

Highly effective concentrate that frees natural woods of spoiling greying without abrasion.  
1 litre of concentrate

### 2. Care and protection:

*SAICOS Special Wood Oil*

The water-repellent care finish for your garden furniture.  
1 x 0,75 l Teak

### Handy accessories:

1 x *SAICOS Flat Brush* 30 mm  
application cloths  
cleaning fleece  
instructions for use



▶ Video



complete set incl. cloths





# The perfect renovation coat

for all weathered wood – plastic surfaces



Supported by:



Federal Ministry  
for Economic Affairs  
and Energy

on the basis of a decision  
by the German Bundestag



for weathered surfaces

for all components of WPC

1 l = approx. 14 m<sup>2</sup> (1 coat)



## WPC Care Oil

Can Size	Item Number
0,125 L	(Art.-Nr.) 101
0,75 L	(Art.-Nr.) 301
2,5 L	(Art.-Nr.) 501

SAICOS WPC Care Oil is a transparent, open-pored coating for the maintenance of weathered and roughened WPC surfaces.

The wood – plastic composite materials are protected sustainably from fading and discolouring.

SAICOS WPC Oil Care is suitable for all components of WPC.

We recommend an intense cleaning with SAICOS Cleaner for Wood-Plastic-Composite (item Number 8123) prior coating.

0210  
Colourless

0213  
Brown  
transparent

0223  
Grey  
transparent

# Show your true colours

and no worries to wind and weather



▶ Video



*the choice for windows & doors*

*anti-blocking & open-porous*

*1 l = approx. 17 m<sup>2</sup> (2 coats)*



interior & exterior



application



opaque



natural oils



weatherproof



block resistant



ecologically friendly

**2001**  
**White**  
opaque

**2100**  
**Ivory**  
opaque

**2110**  
**Pine Yellow**  
opaque

**2112**  
**Lemon Yellow**  
opaque

**2301**  
**Swedish Red**  
opaque

**2310**  
**Bordeaux Red**  
opaque

**2405**  
**Lilac**  
opaque

**2500**  
**Dove Blue**  
opaque

**2506**  
**Seychelles Blue**  
opaque

**2520**  
**Azure**  
opaque

**2610**  
**Fir Green**  
opaque

**2700**  
**Agate Grey**  
opaque

**2701**  
**Rock Grey**  
opaque

**2710**  
**Granite Grey**  
opaque

**2791**  
**Anthracite Grey**  
opaque

**2800**  
**Sand Beige**  
opaque

**2801**  
**Hazel**  
opaque

**2810**  
**Earth Brown**  
opaque

**2838**  
**Mahogany Brown**  
opaque

**2900**  
**Graphite**  
opaque

## House & Garden Colour

Can Size	Item Number
0,125 L	(Item Number) 100
0,75 L	(Item Number) 300
2,5 L	(Item Number) 500
10 L	(Item Number) 700

Special opaque wood coating on natural oil base which permanently bonds to the wood and makes it extremely weather-resistant.

It does not flake or scale and requires in case of renovation just a new coat on the cleaned surface.

The satin matt surface covers wood tone and grain, but leaves the structure of the wood visible.

Anti-blocking properties make it perfect for windows.



# Defy extreme weather

with nature's help



▶ Video



for naturally beautiful wood

anti-blocking & open-porous

1 l = approx. 13 m<sup>2</sup> (2 coats)



## Wood Stain

Can Size	Item Number
0,125 L	(Item Number) 101
0,75 L	(Item Number) 301
2,5 L	(Item Number) 501
10 L	(Item Number) 701

SAICOS Wood Stain ensures excellent weather resistance by permanently bonding with the wood.

Its UV-resistant colour pigments preserve the natural beauty over years.

The natural oils penetrate deeply and protect the breathing, water-resistant and open-porous surface against mould and fungus.

**0001**  
Colourless  
transparent

**0009**  
White  
transparent

**0010**  
Spruce  
transparent

**0011**  
Pine  
transparent

**0018**  
Sand  
transparent

**0030**  
Swedish Red  
transparent

**0031**  
Larch  
transparent

**0038**  
Mahogany  
transparent

**0060**  
Fir Green  
transparent

**0070**  
Pearl  
transparent

**0071**  
Rock Grey  
transparent

**0081**  
Walnut  
transparent

**0082**  
Teak  
transparent

**0086**  
Oak  
transparent

**0089**  
Rosewood  
transparent

**0091**  
Ebony  
transparent

**0092**  
Anthracite  
transparent



# Bring some colour into your life

solvent-free and extremely weather-resistant



▶ Video



opaque & transparent

1 l = approx. 8,5 m<sup>2</sup> (2 coats)



## Bel Air Special Wood Colour

Can Size	Item Number
0,125 L	(Item Number) 101
0,75 L	(Item Number) 301
2,5 L	(Item Number) 501
10 L	(Item Number) 701

Brightly coloured garden features are in fashion and give your 'green living room' a particularly modern and unique look.

With the SAICOS Bel Air Special Wood Colour, we combine the advantages of a proven, breathing, oil-based finish with the beneficial properties of a dirt-insensitive, water dilutable finish.

Colour pigments with high UV-resistance ensure long lasting beauty.

\* opaque colours

*solvent-free\**

**7200**  
White  
opaque

**7223**  
Orange Yellow  
opaque

**7230**  
Swedish Red  
opaque

**7235**  
Ruby Red  
opaque

**7251**  
Dove Blue  
opaque

**7260**  
Fir Green  
opaque

**7271**  
Agate Grey  
opaque

**7273**  
Iron Grey  
opaque

**7280**  
Greyish Brown  
opaque

**7281**  
Earth Brown  
opaque

**7291**  
Anthracite Grey  
opaque

## New transparent colours

**7292**  
Pine  
transparent

**7293**  
Red Cedar  
transparent

**7298**  
Walnut  
transparent

**720002**  
Colourless  
transparent

**720009**  
White  
transparent

**720030**  
Swedish Red  
transparent

**720031**  
Larch  
transparent

**720038**  
Mahogany  
transparent

**720060**  
Fir green  
transparent

**720070**  
Pearl  
transparent

**720071**  
Rock Grey  
transparent

**720082**  
Teak  
transparent

**720086**  
Oak  
transparent

**720089**  
Rosewood  
transparent

**720091**  
Ebony  
transparent

**720092**  
Anthracite  
transparent

# For a clear appearance

we recommend using our Primer White as a base coat



▶ Video



against sweeping branches

1 l = approx. 12 m<sup>2</sup> (1 coat)



exterior



application



drying time



natural oils



harmless



ecologically friendly

## Primer White

Can Size	Item Number
0,125 L	7050 101
0,75 L	7050 301
2,5 L	7050 501
10 L	7050 701

Do your white panels look like a Dalmatian's fur after a short time?

We have the solution against penetrating knots that can quickly spoil the beautiful appearance: SAICOS Primer White.

The primer ensures a perfectly even surface and successfully covers unwanted knots and wood discolourations.

SAICOS Primer White significantly increases the durability of the wood thanks to its water-repellent properties that protect the surface.

**This is not a stand-alone finish.**  
We recommend using two opaque coats of SAICOS Bel Air Special Wood Colour as final coat.



# For natural beautiful wood

with strong dirt and water repellent properties



## Clear Oil Finish – biocide-free & colourless

Can Size	Item Number
0,125 L	0111 100
0,75 L	0111 300
2,5 L	0111 500
10 L	0111 700

Colourless oil coating on natural oil base for a natural end product with excellent dirt and water-repellent properties.

easy care

1 l = approx. 17 m<sup>2</sup> (1 coat)



Can also be used as a base coat for soft woods to even out the absorbing for subsequent solvent based finishes.



## Universal Impregnation

Can Size	Item Number
0,125 L	9004 101
0,75 L	9004 301
2,5 L	9004 501
10 L	9004 701

SAICOS Universal Impregnation is a water-based, high-quality preventive wood preservative impregnation for outdoor wood as weather and moisture protection against blue stain, decay and wood-destroying insects.

SAICOS Universal Impregnation can be covered with all SAICOS wood finishes for the exterior.

Use biocides safely. Always read the label and product information before use.

NEW



against decay & blue stain

1 L = approx. 5 m<sup>2</sup> (1 coat)



# Protect your wood against the sun

high UV resistance for long-lasting beauty



*delays yellowing*

*1 l = approx. 13 m<sup>2</sup> (2 coats)*



## UV Protective Wood Finish Exterior

Can Size	Item Number
0,125 L	(Item Number) 101
0,75 L	(Item Number) 301
2,5 L	(Item Number) 501
10 L	(Item Number) 701

Wood that is exposed to sunlight and UV radiation will weather and become noticeably greyer.

Thanks to long-term UV protection, you can counter this process and permanently preserve the beauty of your wood.

The water-repellent and moisture-regulating properties of the SAICOS UV Protective Wood Finish Exterior also prevent additional swelling and shrinking of the wood.

Applicable as either (double) coat on its own for a 'natural' look, or as satin matt final coat on top of all SAICOS exterior finishes.

**1101**  
Colourless

**1111**  
Pine  
transparent

**1138**  
Mahogany  
transparent

**1171**  
Grey  
transparent

**1181**  
Walnut  
transparent



# Sparkling elegance for your wood facades

silver, titanium, gold or pearl - the choice is yours

## Effect Wood Stain

Can Size	Item Number
0,125 L	(Item Number) 101
0,75 L	(Item Number) 301
2,5 L	(Item Number) 501
10 L	(Item Number) 701


Give your **roughly sawn wood** an elegant, slightly metallic effect.

The finish is open-porous and highly resistant against all kinds of weather effects and mechanical damage, bonds permanently to the wood.



for roughly sawn wood

1 l = approx. 5 m<sup>2</sup> (2 coats)



## Greying Wood Stain

Can Size	Item Number
0,125 L	(Item Number) 101
0,75 L	(Item Number) 301
2,5 L	(Item Number) 501
10 L	(Item Number) 701

SAICOS Greying Wood Stain naturally protects your wood facades and garden woods against uneven and patchy greying.

Colour pigments with high UV-resistance ensure permanent beauty and a flowing transition to natural greying.

The natural oils of SAICOS Greying Wood Stain penetrate deeply into the wood to protect it from the inside and keep it elastic and highly durable.



SAICOS Greying Wood Stain is suitable for smooth and sawn wood and dries quickly.

One coat is sufficient – the rest is done by nature.



moisture-regulating

1 l = approx. 10 m<sup>2</sup> (1 coat)



# Breathe new life into your wood

with our thoroughly developed cleaners



*intensive gel texture*

## Wood Brightener Power-Gel

Can Size	Item Number
2,5 L	8133 510

Highly efficient Power-Gel for cleaning and refreshing of greyed and worn down wood surfaces.  
Suitable for all kinds of wood.

Especially recommended for **vertical surfaces** such as fences or sight protection (e.g. balconies) etc.

## Wood Brightener – Concentrate

Can Size	Item Number
1 l	8130 410
5 l	8130 610
10 l	8130 710

Highly effective concentrate that removes grey patina without sanding.  
Suitable for all wood types.

Especially recommended for **horizontal surfaces** such as terraces.



**Video**



*without sanding*

# Show dirt the red card

with our thoroughly developed cleaners



## Green-Ex – Concentrate

Can Size	Item Number
1 l	8120 410
5 l	8120 610
10 l	8120 710

Effective and biological degradable concentrate for effortless removal of mould and similar infestations. Suitable for treated and untreated woods. Cleans automatically, thoroughly and preventively. Protects against new infestations.



*protects against new infestations*

## Cleaner for Wood-Plastic-Composite (WPC) Concentrate

Can Size	Item Number
1 l	8123 409

This concentrate was especially developed for simple and thorough cleaning of WPC terraces. It is low-solvent, chlorine and bleach-free and is biodegradable.



*intensive cleaning*

# Everything for the perfect application

from Flat Brush to Paint Tray



## Roller Handle



Size	Item Number
100 mm	0950 019
250 mm	0950 020

## Universal Roller 'Small'



Set of 2 rollers

Size	Item Number
100 mm	0950 007

## Floor Brush



Size	Item Number
150 mm	0950 150
220 mm	0950 220

## Roller, 250 mm



Produkt	Item Number
Aqua-Roller	0950 008
Oil/Wax-Roller	0950 013

## Cleaning brush for wooden deckings



Size	Item Number
200 mm	8191

# Thoughtful & approved tools

to make your work easier

## Brush Cleaner – benzene-free



Cleans tools after use with oil / wax-based SAICOS wood finishes. Also removes resins.

Can Size	Item Number
1 l	5100 404
10 l	5100 715

## Double Blade Scraper stainless steel



Size	Item Number
270 mm	0950 027

## Telescopic handle with click connection

High-quality processed, thick-walled telescopic handle with aluminum tube and ergonomic handpiece. The attached snap connection provides a secure link to all necessary attachments.



Size	Item Number
110 - 220 cm	0950 231

## Flat Brush for oil and water systems



Size	Item Number
30 mm	0950 030
50 mm	0950 050
60 mm	0950 060
100 mm	0950 100

## Paint Tray 'Small' (15 x 30 cm)



Paint Tray 'Small', for use with the SAICOS Flat Brush and Universal Roller 'Small'. Tray inserts can be ordered separately in 5-piece sets.

Product	Item Number
Paint Tray	0950 227
5x Tray Insert	0950 228

## Paint Tray 'Large' (31 x 35 cm)



Large Paint Tray, for use with the SAICOS Rollers and SAICOS Flat Brush. Tray inserts can be ordered separately in 5-piece sets.

Product	Item Number
Paint Tray	0950 229
5x Tray Insert	0950 230



## Care instructions

# Removal of unsightly greying

especially recommended for vertical surfaces



*Wood Brightener Power-Gel  
brightens natural exterior woods  
without sanding*

## Fields of application:

Garden furniture, wood decking and terraces, plant boxes, wooden grilles on balconies, wooden claddings etc. made of untreated wood.

Especially recommended for **vertical surfaces** such as fences or sight protection (e.g. balconies) etc.

## Recommended application:



- » Remove coarse dirt (sweep or brush off).
- » Protect metal (e.g. fittings) through masking, cover plants with foil, protect clothing.



- » SAICOS Wood Brightener Power-Gel is ready to use - do not dilute.
- » Apply thickly with the SAICOS Floor Brush following the wood graining.
- » Allow to absorb for **20 minutes**.



- » Wash off with SAICOS Cleaning brush for wooden deckings and lots of water. Rinse thoroughly with water.



- » If there are any remaining grey areas, simply repeat the process above.
- » Please consider our current technical data sheets.

# Removal of unsightly greying

especially recommended for horizontal surfaces



**Wood Brightener Concentrate**  
*brightens natural exterior woods  
without sanding*

## Fields of application:

Garden furniture, wood decking and terraces, plant boxes, wooden grilles on balconies, wooden claddings etc. made of untreated wood.

Especially recommended for **horizontal surfaces** such as terraces.

## Recommended application:



- » Remove coarse dirt (sweep or brush off).
- » Protect metal (e.g. fittings) through masking, cover plants with foil, protect clothing.
- » Moisten the surfaces to be treated



- » Dilute the concentrate **1:5** with water, depending on the degree of greying.
- » Use undiluted against stubborn infestation.



- » Apply thickly with a garden sprayer, watering can or a brush.
- » Allow to absorb for **15 – 30 minutes**.



- » Wash off with *SAICOS Cleaning brush for wooden deckings* and lots of water. Rinse thoroughly with water.
- » If there are any remaining grey areas, simply repeat the process above.
- » Please consider our current technical data sheets.



# Removal of green-growth

suitable for all exterior woods, natural stone terraces and lime brick



**Green-Ex Concentrate**  
removes mould from all exterior woods,  
including natural and artificial stone terraces

## Fields of application:

**For all exterior materials:** stone, cement, roof tiles, aggregate concrete, sand-lime brick, ceramic, tiles, clay, plastic, glass, paints and varnishes ...

**Also for coated / uncoated exterior wood:** wooden decking, garden furniture, pergolas, trellis, fences ...

## Recommended application:



- » Surface should not be wet.
- » Remove coarse dirt (sweep or brush off).
- » Protect metal (e.g. fittings) through masking, cover plants with foil, protect clothing.



- » Dilute SAICOS Green-Ex concentrate **1:10** with water, depending on the degree of mould.
- » Use undiluted against stubborn infestation.



- » Simply apply with a garden sprayer, watering can, brush or SAICOS Flat Brush.
- » For small areas like garden furniture, allow to absorb for approx. 1 hour and either wipe off or rinse with water. For large areas like stone paving, only apply – no rinsing required.



- » If there are any remaining mould areas, simply repeat the process above.
- » Please consider our current technical data sheets.

# Thorough cleaning of WPC terraces

free of bleach, especially for Wood-Plastic-Composite

**Cleaner for Wood-Plastic-Composite (WPC)**  
cleans quickly and intensively  
terraces made from wood / plastic composite



## Fields of application:

For the simple and thorough cleaning especially of WPC (Wood-Plastic-Composite) decking.

## Recommended application:



- » Dilute the concentrate **1:10** with water (e.g. 0,5 l with 5 l water) and spread evenly on the WPC surface using the *SAICOS Floor Brush*.
- » Do not leave puddles.



- » Allow to absorb for **5 – 20** minutes.
- » Re-treat dried areas during this time.



- » Remove dissolved dirt with wiper, grooves may be cleaned with a scrubbing brush.
- » Wipe afterwards 2–3 times with clear water.



- » If there are any remaining dirty areas, simply repeat the process above.
- » Please consider our current technical data sheets.



- » ***Can I apply SAICOS Bel Air Special Wood Colour to a surface that has been treated with SAICOS House & Garden Colour?***

This is not possible without sanding first.

- » ***I have wood with a lot of knots. How can I prevent knots penetrating?***

We recommend using SAICOS Primer White as a base coat.

- » ***Can I use SAICOS Bel Air Special Wood Colour for doors and windows?***

No. SAICOS Bel Air Special Wood Colour does not have anti-blocking properties. This means that the application film at the point where two coated surfaces meet cannot be separated without causing damage. We recommend our favorites for windows and doors, our anti-blocking SAICOS House & Garden Colour.

- » ***Should I coat the cutting edges of my wooden terrace before or after coating with Special Wood Oil?***

Please coat your terrace with SAICOS Special Wood Oil first.

You can then treat the cutting edges with SAICOS End-Grain Sealing Wax.

- » ***Does a final coat of SAICOS UV Protective Wood Finish Exterior provide additional UV protection for the existing coat?***

Yes. SAICOS UV Protective Wood Finish Exterior provides an additional UV protection.

- » ***How can I protect the cutting edges of my wooden deck from water?***

Coat them with our SAICOS End-Grain Sealing Wax.

Our application advice is given to the best of our knowledge and based on experiments, but should only be treated as a non-binding guide. You must still check that the products delivered are suitable for the intended purpose. As we have no control over the application and processing of our products, the user bears full responsibility. The previous product informations shall be deemed invalid following publication of a new brochure. Changes reserved. All images of our product colour palettes are non-binding and may deviate from the original colour.

For more information, please read our current technical data sheets. The protection of your personal data is very important to us. You can find our privacy policy on [www.saicos.de](http://www.saicos.de).

Care instructions for sealed parquet and wood flooring in accordance with DIN 18356. To ensure a good atmosphere in the room and to preserve your wood floor, we recommend a room temperature of 20-25 °C and a relative humidity of 55-60%. For more information, please read our current technical data sheets.

Photos: SAICOS COLOUR GmbH / Shutterstock, Inc. / 123RF



## SAICOS COLOUR GmbH

Carl-Zeiss-Str. 3  
D-48336 Sassenberg

+49 2583 3037-0  
+49 2583 3037-10

[info@saicos.de](mailto:info@saicos.de)  
[www.saicos.de](http://www.saicos.de)



...because we care