

Product Information

Exterior 2021



with detailed care instructions



Dear customer

**Would you like to paint, beautify or maintain your wood?
The coating should dry fast, be easily applied and last for a long
time? Then SAICOS always has the right product for you.**

When developing our products we have taken all your wishes and processing aids into account so that you can treat your wood as simple as possible.

Via a QR-Code directly on the product itself or at the shelf in a specialist shop you can either click on the technical data sheet or a brand new video with step-by-step explanations.
The QR-codes functions are: helping with the actual buying decision at the shelf, watching the product video at home or as a virtual instruction manual on your 'building site'.

For the new year we've taken all your wishes into account and expanded our coating product range.



Curious? Discover more on the following pages.

Thank you very much for your trust.

Your SAICOS team

| | |
|---------------------|--------|
| Introduction | page 2 |
| SAICOS QR-Code | page 4 |

Exterior wood coatings

| | | |
|--|---------|---|
| Special Wood Oil Thermowood | page 6 |  |
| Additive Anti-Slip R10, End-Grain Sealing Wax | page 7 | |
| Decking Oil H ₂ O | page 8 | |
| WPC Care Oil | page 9 | |
| House & Garden Colour | page 10 | |
| Wood Stain | page 11 | |
| Bel Air Special Wood Colour Pearl White | page 12 |  |
| Primer White | page 13 | |
| Clear Oil Finish | page 14 | |
| Universal Impregnation | page 15 | |
| UV Protective Wood Finish Exterior | page 16 | |
| Effect Wood Stain, Greying Wood Stain | page 17 | |

Cleaning & care

| | |
|--|---------|
| Wood Brightener Power-Gel, Wood Brightener | page 18 |
| Green-Ex, Cleaner for WPC | page 19 |

| | |
|--------------|---------|
| Tools | page 20 |
|--------------|---------|

Care instructions

| | |
|-------------------------|---------|
| Removal of greying | page 23 |
| Removal of green-growth | page 25 |
| Cleaning of WPC decks | page 26 |

| | |
|------------|---------|
| FAQ | page 27 |
|------------|---------|

The QR-Code from SAICOS

Product application clearly arranged



The QR-Code from SAICOS

Product application clearly arranged



Easy application

Scan QR-Code.

Select your language.

Watch movie.

Know how it works.

Our service for you:

- A technical data sheet as well as a self-explanatory application video per product is available.
- Application video: the correct application with vivid step-by-step explanations.
- Technical data sheet: all that there is to know via a PDF can be clicked on either directly at the shelf or via can label.

Premium protection for your decking

for keeping the wood in your yard looking beautiful



▶Video



perfect long-term protection

for naturally beautiful wood

1 l = approx. 14 m² (2 coats)



interior & exterior



application



drying time



slip resistant



block resistant



weatherproof



ecologically friendly

0110
Special-Oil
colourless

0122
White
transparent

0112
Larch-Oil
transparent

0123
Grey
transparent

0113
Bangkirai-Oil
transparent

0125
Thermowood
transparent

NEW

0118
Teak-Oil
transparent

0180
Black
transparent

Special Wood Oil

| Can Size | Item Number |
|----------|-------------------|
| 0,125 L | (Item Number) 100 |
| 0,75 L | (Item Number) 300 |
| 2,5 L | (Item Number) 500 |
| 10 L | (Item Number) 700 |

Ready for summer:
the weather protection and care finish for
wood decking, garden furniture and
terraces.

Whether colourless or transparent,
the *SAICOS Special Wood Oil* offers
excellent protection, especially
for hardwood and precious woods.

The natural oils even the surface,
make it smooth and emphasise
the grain of the wood.

Important for terraces / decking:
surfaces treated with *SAICOS Special Wood Oil* are slip resistant (R9).



Perfect treatment for front edges

with especially water and dirt-resistant effect

Special Wood Oil Additive Anti-Slip R10

| Can Size | Item Number |
|------------|-------------|
| for 0,75 L | 0240 155 |
| for 2,5 L | 0240 255 |

With the additive *Anti-Slip R10* the *SAICOS Special Wood Oil* obtains anti-slip property R 10.

Mixing ratio:

The quantity in the additive cans fit the particular can size 0,75 L and 2,5 L.



End-Grain Sealing Wax - colourless

| Can Size | Item Number |
|----------|-------------|
| 0,125 L | 8131 100 |
| 0,75 L | 8131 300 |

Excellent protection for front and cutting edges.

Protects against hairline cracks and minimises bleeding of wood ingredients. Highly water and dirt-repellent, suitable for all wood species.



dirt-repellent

highly water-resistant



exterior



dirt-repellent



water-resistant



ecologically friendly

Decking Oil H₂O



- environmentally friendly
- durable & natural
- 1 L = ca. 8 m² (2 coats)



- | | | | |
|-----------------------------------|------------------------------|----------------------------------|-----------------------------|
| 0310 Colourless transparent | 0312 Larch transparent | 0313 Bangkirai transparent | 0318 Teak transparent |
|-----------------------------------|------------------------------|----------------------------------|-----------------------------|

Decking Oil H₂O THE water-based coating

| Can Size | Item Number |
|----------|-------------------|
| 0,125 L | (Item Number) 101 |
| 0,75 L | (Item Number) 301 |
| 2,5 L | (Item Number) 501 |
| 10 L | (Item Number) 701 |

Looking for the perfect protection for your wooden decking? Then we have just the right product for you: our innovative SAICOS Decking Oil H₂O!

It emphasizes the natural beauty of the wood, is easy to use and protects against the weather in the long term.

In addition SAICOS Decking Oil H₂O scores with its short drying time and the integrated slip resistance R9.



The perfect renovation coat

for all weathered wood – plastic surfaces



Supported by:



Federal Ministry
for Economic Affairs
and Energy

on the basis of a decision
by the German Bundestag



for weathered surfaces

for all components of WPC

1 l = approx. 14 m² (1 coat)



exterior



application



drying time



slip resistant



dirt-repellent



weatherproof



ecologically friendly

WPC Care Oil

| Can Size | Item Number |
|----------|----------------|
| 0,125 L | (Art.-Nr.) 101 |
| 0,75 L | (Art.-Nr.) 301 |
| 2,5 L | (Art.-Nr.) 501 |

SAICOS WPC Care Oil is a transparent, open-porous coating for the maintenance of weathered and roughened WPC surfaces.

The wood – plastic composite materials are protected sustainably from fading and discolouring.

SAICOS WPC Oil Care is suitable for all components of WPC.

We recommend an intense cleaning with SAICOS Cleaner for Wood-Plastic-Composite (item Number 8123) prior coating.

0210
Colourless

0213
Brown
transparent

0223
Grey
transparent

Show your true colours

and no worries about wind and weather



▶Video



the choice for windows & doors

anti-blocking & open-porous

1 l = approx. 17 m² (2 coats)



interior & exterior



application



opaque



natural oils



weatherproof



block resistant



ecologically friendly

House & Garden Colour

| Can Size | Item Number |
|----------|-------------------|
| 0,125 L | (Item Number) 100 |
| 0,75 L | (Item Number) 300 |
| 2,5 L | (Item Number) 500 |
| 10 L | (Item Number) 700 |

Special opaque wood coating on natural oil base which permanently bonds to the wood and makes it extremely weather-resistant.

It does not flake or scale and requires in case of renovation just a new coat on the cleaned surface.

The satin matt surface covers wood tone and grain, but leaves the structure of the wood visible.

Anti-blocking properties make it perfect for windows.

| | | | |
|---|--|---|--|
| 2001 <i>White</i> opaque | 2100 <i>Ivory</i> opaque | 2110 <i>Pine Yellow</i> opaque | 2112 <i>Lemon Yellow</i> opaque |
| 2301 <i>Swedish Red</i> opaque | 2310 <i>Bordeaux Red</i> opaque | 2405 <i>Lilac</i> opaque | 2500 <i>Dove Blue</i> opaque |
| 2506 <i>Seychelles Blue</i> opaque | 2520 <i>Azure</i> opaque | 2610 <i>Fir Green</i> opaque | 2700 <i>Agate Grey</i> opaque |
| 2701 <i>Rock Grey</i> opaque | 2710 <i>Granite Grey</i> opaque | 2791 <i>Anthracite Grey</i> opaque | 2800 <i>Sand Beige</i> opaque |
| 2801 <i>Hazel</i> opaque | 2810 <i>Earth Brown</i> opaque | 2838 <i>Mahogany Brown</i> opaque | 2900 <i>Graphite</i> opaque |



Defy extreme weather

with nature's help



▶ Video



for naturally beautiful wood

anti-blocking & open-porous

1 l = approx. 13 m² (2 coats)



Wood Stain

| Can Size | Item Number |
|----------|-------------------|
| 0,125 L | (Item Number) 101 |
| 0,75 L | (Item Number) 301 |
| 2,5 L | (Item Number) 501 |
| 10 L | (Item Number) 701 |

SAICOS Wood Stain ensures excellent weather resistance by permanently bonding with the wood.

Its UV-resistant colour pigments preserve the natural beauty over years.

The natural oils penetrate deeply and protect the breathing, water-resistant and open-porous surface against mould and fungus.

0001
Colourless
transparent

0009
White
transparent

0010
Spruce
transparent

0011
Pine
transparent

0018
Sand
transparent

0030
Swedish Red
transparent

0031
Larch
transparent

0038
Mahogany
transparent

0060
Fir Green
transparent

0070
Pearl
transparent

0071
Rock Grey
transparent

0081
Walnut
transparent

0082
Teak
transparent

0086
Oak
transparent

0089
Rosewood
transparent

0091
Ebony
transparent

0092
Anthracite
transparent



Bring some colour into your life

solvent-free and extremely weather-resistant



▶ Video



opaque & transparent

1 l = approx. 8,5 m² (2 coats)



Bel Air Special Wood Colour

| Can Size | Item Number |
|----------|-------------------|
| 0,125 L | (Item Number) 101 |
| 0,75 L | (Item Number) 301 |
| 2,5 L | (Item Number) 501 |
| 10 L | (Item Number) 701 |

Brightly coloured garden features are in fashion and give your 'green living room' a particularly modern and unique look.

With the SAICOS Bel Air Special Wood Colour, we combine the advantages of a proven, breathing, oil-based finish with the beneficial properties of a dirt-insensitive, water dilutable finish.

Colour pigments with high UV-resistance ensure long lasting beauty.

* opaque colours

solvent-free*

7200
White
opaque

7202
Pearl White
opaque

NEW

7223
Orange Yellow
opaque

7230
Swedish Red
opaque

7235
Ruby Red
opaque

7251
Dove Blue
opaque

7260
Fir Green
opaque

7271
Agate Grey
opaque

7273
Iron Grey
opaque

7280
Greyish Brown
opaque

7281
Earth Brown
opaque

7291
Anthracite Grey
opaque

Transparent colours

7292
Pine
transparent

7293
Red Cedar
transparent

7298
Walnut
transparent

720002
Colourless
transparent

720009
White
transparent

720030
Swedish Red
transparent

720031
Larch
transparent

720038
Mahogany
transparent

720060
Fir green
transparent

720070
Pearl
transparent

720071
Rock Grey
transparent

720082
Teak
transparent

720086
Oak
transparent

720089
Rosewood
transparent

720091
Ebony
transparent

720092
Anthracite
transparent

For a clear appearance

we recommend using our Primer White as a base coat

Primer White

| Can Size | Item Number |
|----------|-------------|
| 0,125 L | 7050 101 |
| 0,75 L | 7050 301 |
| 2,5 L | 7050 501 |
| 10 L | 7050 701 |

Do your white panels look like a Dalmatian's fur after a short time?

We have the solution against penetrating knots that can quickly spoil the beautiful appearance: *SAICOS Primer White*.

The primer ensures a perfectly even surface and successfully covers unwanted knots and wood discolourations.

SAICOS Primer White significantly increases the durability of the wood thanks to its water-repellent properties that protect the surface.

This is not a stand-alone finish.
We recommend using two opaque coats of *SAICOS Bel Air Special Wood Colour* as final coat.



▶ Video



against sweeping branches

1 l = approx. 12 m² (1 coat)



For natural beautiful wood

with strong dirt and water repellent properties



Clear Oil Finish – biocide-free & colourless

| Can Size | Item Number |
|----------|-------------|
| 0,125 L | 0111 100 |
| 0,75 L | 0111 300 |
| 2,5 L | 0111 500 |
| 10 L | 0111 700 |

Colourless oil coating on natural oil base for a natural end product with excellent dirt and water-repellent properties.

Can also be used as a base coat for soft woods to even out the absorbing for subsequent solvent based finishes.

easy care

1 l = approx. 17 m² (1 coat)



exterior



application



natural oils



weatherproof



coverage



dirt-repellent



ecologically friendly





against decay & blue stain

1 L = approx. 5 m² (1 coat)



exterior



application



drying time



coverage

Universal Impregnation

| Can Size | Item Number |
|----------|-------------|
| 0,125 L | 9004 101 |
| 0,75 L | 9004 301 |
| 2,5 L | 9004 501 |
| 10 L | 9004 701 |

SAICOS Universal Impregnation is a water-based, high-quality preventive wood preservative impregnation for outdoor wood as weather and moisture protection against blue stain, decay and wood-destroying insects.

SAICOS Universal Impregnation can be covered with all SAICOS wood finishes for the exterior.

Use biocides safely. Always read the label and product information before use.



Protect your wood against the sun

high UV resistance for long-lasting beauty



UV Protective Wood Finish Exterior



delays yellowing

1 l = approx. 13 m² (2 coats)



exterior



application



transparent



natural oils



UV protection



weatherproof

| Can Size | Item Number |
|----------|-------------------|
| 0,125 L | (Item Number) 101 |
| 0,75 L | (Item Number) 301 |
| 2,5 L | (Item Number) 501 |
| 10 L | (Item Number) 701 |

Wood that is exposed to sunlight and UV radiation will weather and become noticeably greyer.

Thanks to long-term UV protection, you can counter this process and permanently preserve the beauty of your wood.

The water-repellent and moisture-regulating properties of the SAICOS UV Protective Wood Finish Exterior also prevent additional swelling and shrinking of the wood.

Applicable as either (double) coat on its own for a 'natural' look, or as satin matt final coat on top of all SAICOS exterior finishes.

1101
Colourless

1111
Pine
transparent

1171
Grey
transparent

1181
Walnut
transparent

Sparkling elegance for your wood facades

silver, titanium or gold - the choice is yours

Effect Wood Stain

| Can Size | Item Number |
|----------|-------------------|
| 0,125 L | (Item Number) 101 |
| 0,75 L | (Item Number) 301 |
| 2,5 L | (Item Number) 501 |
| 10 L | (Item Number) 701 |

Give your **roughly sawn wood** an elegant, slightly metallic effect.

The finish is open-porous and highly resistant against all kinds of weather effects and mechanical damage, bonds permanently to the wood.

for roughly sawn wood

1 l = approx. 5 m² (2 coats)



exterior



application



drying time



transparent



natural oils



weatherproof

7696
Effect Silver
transparent

7697
Effect Titanium
transparent

7698
Effect Gold
transparent

Greying Wood Stain

| Can Size | Item Number |
|----------|-------------------|
| 0,125 L | (Item Number) 101 |
| 0,75 L | (Item Number) 301 |
| 2,5 L | (Item Number) 501 |
| 10 L | (Item Number) 701 |

SAICOS Greying Wood Stain naturally protects your wood facades and garden woods against uneven and patchy greying.

Colour pigments with high UV-resistance ensure permanent beauty and a flowing transition to natural greying.

The natural oils of *SAICOS Greying Wood Stain* penetrate deeply into the wood to protect it from the inside and keep it elastic and highly durable.

SAICOS Greying Wood Stain is suitable for smooth and sawn wood and dries quickly.

One coat is sufficient – the rest is done by nature.

moisture-regulating

1 l = approx. 10 m² (1 coat)



exterior



application



drying time



transparent



natural oils

7620
Graphite Grey

7630
Stone Grey

Breathe new life into your wood

with our thoroughly developed cleaners



1 L =
NEW



intensive gel texture

Wood Brightener Power-Gel

| Can Size | Item Number |
|----------|-------------|
| 1 L | 8133 412 |
| 2,5 L | 8133 510 |

Highly efficient Power-Gel for cleaning and refreshing of greyed and worn down wood surfaces.
Suitable for all kinds of wood.

Especially recommended for **vertical surfaces** such as fences or sight protection (e.g. balconies) etc.



without sanding

Wood Brightener – Concentrate

| Can Size | Item Number |
|----------|-------------|
| 1 l | 8130 410 |
| 5 l | 8130 610 |
| 10 l | 8130 710 |

Highly effective concentrate that removes grey patina without sanding.
Suitable for all wood types.

Especially recommended for **horizontal surfaces** such as terraces.

Video



Show dirt the red card

with our thoroughly developed cleaners



Green-Ex – Concentrate

| Can Size | Item Number |
|----------|-------------|
| 1 l | 8120 410 |
| 5 l | 8120 610 |
| 10 l | 8120 710 |

Effective and biological degradable concentrate for effortless removal of mould and similar infestations. Suitable for treated and untreated woods. Cleans automatically, thoroughly and preventively. Protects against new infestations.



▶ Video



protects against new infestations

Cleaner for Wood-Plastic-Composite (WPC) Concentrate

| Can Size | Item Number |
|----------|-------------|
| 1 l | 8123 409 |

This concentrate was especially developed for simple and thorough cleaning of WPC terraces.

It is solvent-free, chlorine and bleach-free and is biodegradable.



solvent-free

intensive cleaning



Everything for the perfect application

from Flat Brush to Paint Tray



Roller Handle



| Size | Item Number |
|--------|-------------|
| 100 mm | 0950 019 |
| 250 mm | 0950 020 |

Universal Roller 'Small'



Set of 2 rollers

| Size | Item Number |
|--------|-------------|
| 100 mm | 0950 007 |

Floor Brush



| Size | Item Number |
|--------|-------------|
| 150 mm | 0950 150 |
| 220 mm | 0950 220 |

Roller, 250 mm



| Produkt | Item Number |
|----------------|-------------|
| Aqua-Roller | 0950 008 |
| Oil/Wax-Roller | 0950 013 |

Cleaning brush for wooden deckings



| Size | Item Number |
|--------|-------------|
| 200 mm | 8191 |

Thoughtful & approved tools

to make your work easier

Brush Cleaner – benzene-free



Cleans tools after use with oil / wax-based SAICOS wood finishes. Also removes resins.

| Can Size | Item Number |
|----------|-------------|
| 1 l | 5100 404 |
| 10 l | 5100 715 |

Flat Brush for oil and water systems



| Size | Item Number |
|--------|-------------|
| 30 mm | 0950 030 |
| 50 mm | 0950 050 |
| 60 mm | 0950 060 |
| 100 mm | 0950 100 |

Paint Tray 'Small' (15 x 30 cm)



Paint Tray 'Small', for use with the SAICOS Flat Brush and Universal Roller 'Small'. Tray inserts can be ordered separately in 5-piece sets.

Telescopic handle with click connection

High-quality processed, thick-walled telescopic handle with aluminum tube and ergonomic handpiece.

The attached snap connection provides a secure link to all necessary attachments.



| Size | Item Number |
|--------------|-------------|
| 110 - 220 cm | 0950 231 |

| Product | Item Number |
|----------------|-------------|
| Paint Tray | 0950 227 |
| 5x Tray Insert | 0950 228 |

Paint Tray 'Large' (31 x 35 cm)



Large Paint Tray, for use with the SAICOS Rollers and SAICOS Flat Brush. Tray inserts can be ordered separately in 5-piece sets.

| Product | Item Number |
|----------------|-------------|
| Paint Tray | 0950 229 |
| 5x Tray Insert | 0950 230 |



Care instructions

Removal of unsightly greying

especially recommended for vertical surfaces



Wood Brightener Power-Gel
*brightens natural exterior woods
without sanding*

Fields of application:

Garden furniture, wood decking and terraces, plant boxes, wooden grilles on balconies, wooden claddings etc. made of untreated wood.

Especially recommended for **vertical surfaces** such as fences or sight protection (e.g. balconies) etc.

Recommended application:



- » Remove coarse dirt (sweep or brush off).
- » Protect metal (e.g. fittings) through masking, cover plants with foil, protect clothing.



- » SAICOS Wood Brightener Power-Gel is ready to use - do not dilute.
- » Apply thickly with the SAICOS Floor Brush following the wood graining.
- » Allow to absorb for **20 minutes**.



- » Wash off with SAICOS Cleaning brush for wooden deckings and lots of water. Rinse thoroughly with water.



- » If there are any remaining grey areas, simply repeat the process above.
- » Please consider our current technical data sheets.

Removal of unsightly greying

especially recommended for horizontal surfaces



Wood Brightener Concentrate
*brightens natural exterior woods
without sanding*

Fields of application:

Garden furniture, wood decking and terraces, plant boxes, wooden grilles on balconies, wooden claddings etc. made of untreated wood.

Especially recommended for **horizontal surfaces** such as terraces.

Recommended application:



- » Remove coarse dirt (sweep or brush off).
- » Protect metal (e.g. fittings) through masking, cover plants with foil, protect clothing.
- » Moisten the surfaces to be treated



- » Dilute the concentrate **1:5** with water, depending on the degree of greying.
- » Use undiluted against stubborn infestation.



- » Apply thickly with a garden sprayer, watering can or a brush.
- » Allow to absorb for **15 – 30 minutes**.



- » Wash off with *SAICOS Cleaning brush for wooden deckings* and lots of water. Rinse thoroughly with water.
- » If there are any remaining grey areas, simply repeat the process above.
- » Please consider our current technical data sheets.

Removal of green-growth

suitable for all exterior woods, natural stone terraces and lime brick



Green-Ex Concentrate
removes mould from all exterior woods,
including natural and artificial stone terraces

Fields of application:

For all exterior materials: stone, cement, roof tiles, aggregate concrete, sand-lime brick, ceramic, tiles, clay, plastic, glass, paints and varnishes ...

Also for coated / uncoated exterior wood: wooden decking, garden furniture, pergolas, trellis, fences ...

Recommended application:



- » Surface should not be wet.
- » Remove coarse dirt (sweep or brush off).
- » Protect metal (e.g. fittings) through masking, cover plants with foil, protect clothing.



- » Dilute SAICOS Green-Ex concentrate **1:10** with water, depending on the degree of mould.
- » Use undiluted against stubborn infestation.



- » Simply apply with a garden sprayer, watering can, brush or SAICOS Flat Brush.
- » For small areas like garden furniture, allow to absorb for approx. 1 hour and either wipe off or rinse with water. For large areas like stone paving, only apply – no rinsing required.



- » If there are any remaining mould areas, simply repeat the process above.
- » Please consider our current technical data sheets.

Thorough cleaning of WPC terraces

free of bleach, especially for Wood-Plastic-Composite

Cleaner for Wood-Plastic-Composite (WPC)

cleans quickly and intensively

terraces made from wood / plastic composite



Fields of application:

For the simple and thorough cleaning especially of WPC (Wood-Plastic-Composite) decking.

Recommended application:



- » Dilute the concentrate **1:10** with water (e.g. 0,5 l with 5 l water) and spread evenly on the WPC surface using the *SAICOS Floor Brush*.
- » Do not leave puddles.



- » Allow to absorb for **5 – 20** minutes.
- » Re-treat dried areas during this time.



- » Remove dissolved dirt with wiper, grooves may be cleaned with a scrubbing brush.
- » Wipe afterwards 2–3 times with clear water.



- » If there are any remaining dirty areas, simply repeat the process above.
- » Please consider our current technical data sheets.



- » ***Can I apply SAICOS Bel Air Special Wood Colour to a surface that has been treated with SAICOS House & Garden Colour?***

This is not possible without sanding first.

- » ***I have wood with a lot of knots. How can I prevent knots penetrating?***

We recommend using SAICOS Primer White as a base coat.

- » ***Can I use SAICOS Bel Air Special Wood Colour for doors and windows?***

No. SAICOS Bel Air Special Wood Colour does not have anti-blocking properties. This means that the application film at the point where two coated surfaces meet cannot be separated without causing damage. We recommend our favorites for windows and doors, our anti-blocking SAICOS House & Garden Colour.

- » ***Should I coat the cutting edges of my wooden terrace before or after coating with Special Wood Oil?***

Please coat your terrace with SAICOS Special Wood Oil first.

You can then treat the cutting edges with SAICOS End-Grain Sealing Wax.

- » ***Does a final coat of SAICOS UV Protective Wood Finish Exterior provide additional UV protection for the existing coat?***

Yes. SAICOS UV Protective Wood Finish Exterior provides an additional UV protection.

- » ***How can I protect the cutting edges of my wooden deck from water?***

Coat them with our SAICOS End-Grain Sealing Wax.

Our application advice is given to the best of our knowledge and based on experiments, but should only be treated as a non-binding guide. You must still check that the products delivered are suitable for the intended purpose. As we have no control over the application and processing of our products, the user bears full responsibility. The previous product informations shall be deemed invalid following publication of a new brochure. Changes reserved. All images of our product colour palettes are non-binding and may deviate from the original colour.

For more information, please read our current technical data sheets. The protection of your personal data is very important to us. You can find our privacy policy on www.saicos.de.

Care instructions for sealed parquet and wood flooring in accordance with DIN 18356. To ensure a good atmosphere in the room and to preserve your wood floor, we recommend a room temperature of 20-25 °C and a relative humidity of 55-60%. For more information, please read our current technical data sheets.

Photos: SAICOS COLOUR GmbH / Shutterstock, Inc. / 123RF

SAICOS COLOUR GmbH

Carl-Zeiss-Str. 3
D-48336 Sassenberg

☎ +49 2583 3037-0
📠 +49 2583 3037-10

info@saicos.de

www.saicos.de



...because we care